

A TRULY COST-EFFECTIVE CINEMA SEAT THAT WORTH HAVING!

The FALCON is offered with a lounger back to fit your desired position, retractable cup holder arms for love seat version, and sustainable steel structural support.

All these features plus its all-the-time quality, this is a truly cost-effective cinema seat that you will never be disappointed at.





FALCON LS-11602 Series



## **OPTIONAL FEATURS:**

- ➤ Optional lounger back (LS-11602) or fixed back (LS-11602N)
- > Optional full fabric upholstered/full leather upholstered/fabric upholstered with leatherette headrest
- > Optional back pleats with concavities or horizontal lines.



# **FEATURES**







#### **OUTER BACK**

- One-piece, injection molded, high impact polypropylene outer back for ease of maintenance.
- Recyclable and eco-friendly





### **BACK CUSHION**

- Made by cold-molded high resilient foam ensures optimal comfort
- Lounger back engineering with a swing of about 10 degrees
- Foam density:  $55 \pm 5 \text{kg/m}^3$
- Cushion thickness: 100mm (3.94")
- Optional two kinds of back pleats

# **FEATURES**







### **SEAT**

- Ergonomic seat cushion design ensures maximum comfort
- Foam density:  $55 \pm 5 \text{kg/m}^3$
- Cushion thickness: 100mm (3.94")
- One-piece, injection molded, high impact polypropylene seat pan, recyclable and eco-friendly
- Tip-up seat by counterweight mechanism ensures lifetime of smooth operation





#### **ARM**

- •Flip-up integral cup holder armrest helps for added user space
- Padding available.

#### LEG

- Strong steel structural support
- Electrostatic powder coat finish

# **FEATURES**









### **OTHER OPTIONAL FEATURES**

- Fixed back/fixed seat (suspension support structure)
- Fixed arm
- Three plastic color for shells (black, dark grey and brown)
- Three powder coat color (black, dark grey and brown)
- Non-upholstered armrest
- Optional leatherette headrest and embroidery logo
- Aluminum seat/row number plate
- CA117/BS5852 upholstery finish

# **DIMENSIONS**



Unit: mm	Unit: inch	
100	3.9"	
Min.1000 4.5° 795 48 665 50 795 1045	Min.39.4"  4.5°  31.3"  26.2"  1.9"  26.2"	
560 580	22" 22.8"	
Min. radius	Min. radius	
A:15 m	A:49'3"	

Description	mm	inch
	560	22.1
C/C (armrest center to center)	580	22.8
Arm width	100	3.9
Overall depth	795	31.3
Armrest to rear back depth	665	26.2
Floor to seat height	450	17.7
Floor to armrest height	620	24.4
Overall back height	1045	41.1
Minimum row spacing	1000	39.4
Recommended row spacing	1100	43.3



<b>Special treatment options</b>	<ol> <li>Fabric special treatment: <u>3M</u></li> <li>Fire retardant: <u>CA117/BS5852</u></li> <li>Foam special treatment: <u>CA117/BS5852</u></li> </ol>
Standard techniques	<ul> <li>1.Structure: steel tube and plate, arc welds with continuous wire fee</li> <li>2. Paint: Electrostatic epoxy powder. Finish: 60~80N/m</li></ul>
Raw material	<ol> <li>Raw material provided by <b>BSF Germany</b> Company</li> <li>Foam formula introduced by <b>European technology</b></li> </ol>
Package	Units are shipped <b>knocked-down</b> ( <b>KD</b> ) with detailed assembly instructions for easy assembly in the field
After-sales support	<ol> <li>3% free high-consuming part supply</li> <li>On-site installation support</li> <li>Five-year comprehensive manufacturing warranty</li> </ol>
Minimum order quantity	Normally MOQ would be one 20GP or one 40GP, subject to the type of seating products you ordered Orders less than MOQ are still accepted base upon different shipping terms
Shipping terms	FOB GUANGZHOU for order meets MOQ EX-WORKS for order less than MOQ All shipping cost would be at buyer's cost for EX-WORKS order
Delivery time	20-30 days Subject to type of product and qty you order Normally 1000 seats (without woodworks) takes about 28 days, 30 days (with woodworks)